

basicPalettell

There's so much that's new with Palette. And so much that you already know.

Clean, elegant, and very, very powerful, basic Palette is a thoroughbred. Starting with 100 channels, a single playback and 16 submasters, basicPalettell will allow you to program complex shows, easily – elegantly.



basicPalettell Lighting Control Console

Features

- Two DMX ports with 1,024 outputs
- Hard disk for show file storage
- USB Key for external show file storage
- Strand ShowNet standard on all systems with over 18,000 DMX outputs
- Microsoft Windows Operation System
- High-resolution Graphical User Interface with mouse
- Unlimited cue, groups, subs and effects per show
- Network support for a wide range of Ethernet data protocols including ShowNet, streaming ACN, ArtNet, Pathway and Color Kinetics networks
- PaletteOS's Universal Attribute Control - Automated lighting control with the intelligent fixture library
- Up to 26 part cues
- 16 submasters with unlimited pages
- Tracking, Cue Only, or Preset operation
- Low profile "easy touch" bump buttons
- Light Palette-style encoder wheel
- Support for two video displays (touchscreen optional)
- Wired and wireless focus remote options
- Windows Off-line Editor
- Available with up to 3,000 channels
- Split memory playback
- Direct access keys for selection of key automated lighting attributes
- Unlimited effects playbacks
- Vision.net control interface for seamless interface between Entertainment and Architectural controls

PHILIPS
Strand Lighting

SPECIFICATION SUBMITTAL

| | | |
|-------------------------------------|---|---|
| CONSULTANT: <input type="text"/> | PROJECT NAME: <input type="text"/> | MODEL NUMBER QUANTITY: <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |
| DATE: <input type="text"/> | PROJECT NUMBER: <input type="text"/> | APPROVED BY: <input type="text"/> |


Introduction

Strand's new Palette consoles build on the most successful lighting control operating system to bring you PaletteOS, a high-resolution point/click graphical environment to unleash your creativity and speed up workflow. PaletteOS harnesses the power of Windows to provide a familiar, user-friendly environment for either the console or the Off-Line Editor.

basicPalettell is powerful - with up to 3,000 channels of control and amazing automatic focus group controls that will slash your programming time. Palette has a powerful web browser that lets you configure and monitor your network and interact directly with Strand's

award-winning C21 dimming systems. Right there on the console screen. And Palette is an elegant and highly functional lighting console, leveraging industry-standard technologies to make it robust and future-safe.

Palette's brain is a rugged independent PC that can be swapped in seconds. Palette has a generous 100GB hard drive, or you can save your shows anywhere on the network. You even get a shiny new USB key for show storage. Oh, and you can even convert your old 300 / 500 series show files so that no one gets left behind.



**92800 Basic Palette II Memory Console
with 100 Channels, 16 Submasters**

| Technical Specifications | | Connectivity | |
|-------------------------------|--|--------------|---|
| Electrical | | 1 | Ethernet (RJ45) port, Strand ShowNet compatible |
| Supply Voltage: | Universal power supply 90-240V | 2 | USB ports (rear) |
| Approvals: | ETL listed and CE marked | 1 | USB port (front) |
| Mechanical | | 2 | VGA monitor outputs (monitors not included) |
| Construction: | Galvanized sheet steel and aluminum extrusion and Flame retardant ABS controls | 1 | Serial port |
| Operating Temperature: | 0° to 40°C ambient (32° to 104°F) | 2 | DMX512 (XLR5) ports |
| Humidity: | 5% - 95% non-condensing | | |
| Storage Temperature: | -40° to 70°C (-40° to 158°F) | | |
| Weight: | 23.8 lbs (10.8 kgs) | | |
| Dimensions (LxWxH): | 18.2 x 25.2 x 4.5 in 462.3 x 640.1 x 114.3 mm | | |



Ordering Information

Cat. No. Description

| basicPalettell Console | | Accessories | |
|---|--|-------------------------------------|---|
| 92800 | Palette II 100 Channel Basic Console* | 66216 | Palette Keyboard (additional) |
| 67528 | | | USB Key Drive (additional) |
| 95207 | | | 19-inch Flat Panel Monitor |
| 95712 | | | 17-inch Touch Screen Flat Panel monitor |
| Includes: *All consoles include Palette keyboard, mouse, dust cover, USB key, power cord and printed installation guide. Monitors not included. | | Pocket Palette Wireless Kits | |
| Peripheral Equipment - Software | | 66149 | Pocket Palette Networked Kit (includes remote, controller switch, and (2) access ports) |
| 67501 | 128 Channel Upgrade | 66150 | Pocket Palette Standalone Kit (includes remote and wireless access point) |
| 67502 | 512 Channel Upgrade | | |
| 67503 | 1024 Channel Upgrade | | |
| 67504 | 1536 Channel Upgrade | | |
| 67505 | 2048 Channel Upgrade | | |
| Peripheral Equipment - Cables | | | |
| 95090 | DMX-512 Control Cable 25' (A5F to A5M) | | |
| 96456 | Ethernet cable 10' 10/100BaseT (RJ-45) | | |
| 96459 | Ethernet cable 25' 10/100BaseT (RJ-45) | | |

- This page intentionally left blank -

Philips Strand Lighting

Dallas

10911 Petal Street
Dallas, TX 75238
Tel: (214) 647-7880
Fax: (214) 647-8031

New York

267 5th Ave, 4th Floor
New York, NY 10016
Tel: (212) 213-8219
Fax: (212) 532-2593

www.strandlighting.com

© Philips Group 2010
All rights reserved.
The Company reserves the right
to make any variation in design or
construction to the equipment
described. E&OE

Auckland

19-21 Kawana Street
Northcote, Auckland 0627
New Zealand
Tel: + 64 9 481 0100
Fax: + 64 9 481 0101

Asia

Room 6-10,
20/F Delta House
3 On Yiu Street
Shatin, N.T. Hong Kong
Tel: + 852-2757-3033
Fax: + 852-2757-1767

Europe

European Service & Distribution Centre
Marssteden 152
Enschede 7547 TD
the Netherlands
Tel: +31-53-4500424
Fax: +31-53-4500425