



# LED Followspot 75ST

This portable, LED-powered followspot is equipped with a 75-watt white LED for a hardedge, focused beam. Easy to set up and tear down, LED Followspot 75ST comes with an included tripod. Extremely fast electronic strobe delivers silent operation with no moving parts. Super smooth LED dimming makes professional fading a breeze, while a single gobo slot projects crisp patterns onto any surface.



# Highlights

- Portable, LED followspot emits a focused beam with a sharp edge
- Set up and tear down in seconds with the included tripod
- Increase flexibility with DMX and manual control options
- A great option for small clubs and auditoriums
- Simplify professional fading with smooth LED dimming
- Deliver silent operation with fast electronic strobe and no moving parts
- Project crisp patterns onto any surface using the single gobo slot
- Focus the light where it is needed using the mechanical iris to reduce the beam's diameter

## Specifications

- DMX Channels: 3
- DMX Connectors: 3-pin XLR
- Colors: 7 + white
- Light Source: 1 LED (cool white) 75 W (18 A) 50,000 hours life expectancy
- Strobe Rate: 0 to 16 Hz
- Illuminance: 8,140 lux @ 2 m (14°)  
4,650 lux @ 2 m (20°)
- Input Voltage: 120/230 VAC, 50/60 Hz (switchable)
- Power and Current: 215 W, 1.8 A @ 120 V, 60 Hz  
220 W, 1 A @ 230 V, 50 Hz
- Gobo Size: 23.7 mm outside, 21.3 mm image, 1 mm max thickness
- Zoom Angle: 14° to 20° (manual)
- Weight: 13.3 lb (6 kg)
- Dimensions: 22 x 10.8 x 11.5 in (560 x 276 x 292 mm)
- Approvals: CE, MET
- Stand Height: 2.8 to 3.8 ft (0.8 to 1.2) m

## What's Included

- Power cord
- Tripod
- Warranty card